

| Ref # | Hits  | Search Query   | DBs   | Default Operator | Plurals | Time Stamp       |
|-------|-------|--|---|------------------|---------|------------------|
| S1    | 43637 | (intelligen\$2 scan\$4 authenticat\$3 captur\$3) near3 (agent script sensor)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/08/03 15:18 |
| S2    | 1     | (intelligen\$2 scan\$4 authenticat\$3 captur\$3) near3 (agent script sensor) same ((HD harddrive (hard adj drive) kernel OS cpu) adj (signature ID hash digest))   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/08/03 13:12 |
| S3    | 61    | (intelligen\$2 scan\$4 authenticat\$3 captur\$3) near3 (agent script sensor) same ((HD harddrive (hard adj drive) kernel OS cpu hardware RAM MAC mac volume cd dvd rom ide scsi controller cpu ram ) adj (signature ID hash digest size address))                                    | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/08/03 13:31 |
| S4    | 0     | intelligen\$2 near2 agent  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/08/03 13:19 |
| S5    | 2442  | intelligen\$2 near2 agent  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/08/03 13:19 |
| S6    | 47554 | (intelligen\$2 scan\$4 authenticat\$3 captur\$3) near3 (agent script sensor)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/08/03 13:31 |
| S7    | 65    | (intelligen\$2 scan\$4 authenticat\$3 captur\$3) near3 (agent script sensor) same ((HD harddrive (hard adj drive) kernel OS cpu hardware RAM MAC mac volume cd dvd rom ide scsi controller cpu ram ) adj (signature ID hash digest size address))                                    | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/08/03 13:19 |
| S8    | 18    | (intelligen\$2 scan\$4 authenticat\$3 captur\$3) near3 (agent script sensor) same ((HD harddrive (hard adj drive) kernel OS cpu hardware RAM MAC mac volume cd dvd rom ide scsi controller cpu ram ) adj (signature ID hash digest size address)) same (authenticat\$3 verificat\$3) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2005/08/03 15:19 |

|     |    |   |   |    |    |                  |
|-----|----|---|---|----|----|------------------|
| S9  | 4  | S7 not S3   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/08/03 13:20 |
| S10 | 2  | 09/580720   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/08/03 13:23 |
| S11 | 0  | ((spyware spy) adj (agent script code)) same (scan\$3 captur\$3 spy\$3 sensor\$3) same ((HD harddrive (hard adj drive) kernel OS cpu hardware RAM MAC mac volume cd dvd rom ide scsi controller cpu ram ) adj (signature ID hash digest size address)) same (authenticat\$3 verificat\$3) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/08/03 13:27 |
| S12 | 0  | ((spyware spy) adj (agent script code)) same (scan\$3 captur\$3 spy\$3 sensor\$3) same ((HD harddrive (hard adj drive) kernel OS cpu hardware RAM MAC mac volume cd dvd rom ide scsi controller cpu ram ) adj (signature ID hash digest size address))                                    | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/08/03 13:27 |
| S13 | 5  | ((spyware spy) adj (agent script code)) same (scan\$3 captur\$3 spy\$3 sensor\$3)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/08/03 13:28 |
| S14 | 7  | ((spyware spy) adj (agent script code))   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/08/03 13:28 |
| S15 | 74 | spyware   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/08/03 13:28 |
| S16 | 2  | spyware with authenticat\$3   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/08/03 13:28 |
| S17 | 0  | (intelligen\$2 scan\$4 authenticat\$3 captur\$3) near3 (daemon)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/08/03 13:32 |

|     |      |   |   |    |    |                  |
|-----|------|---|---|----|----|------------------|
| S18 | 1830 | (intelligen\$2 scan\$4 authenticat\$3 captur\$3) near3 (collector)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/08/03 13:32 |
| S19 | 33   | (intelligen\$2 scan\$4 authenticat\$3 captur\$3) near3 (collector) with authenticat\$3  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/08/03 13:40 |
| S20 | 1807 | (intelligen\$2 scan\$4 authenticat\$3 captur\$3) near3 (collector prob\$3) with authenticat\$3  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/08/03 13:34 |
| S21 | 94   | (intelligen\$2 scan\$4 authenticat\$3 captur\$3) near3 (collector prob\$3) with authenticat\$3 same ((HD harddrive (hard adj drive) kernel OS cpu hardware RAM MAC mac volume cd dvd rom ide scsi controller cpu ram ) adj (signature ID hash digest size address))       | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/08/03 15:20 |
| S22 | 0    | (intelligen\$2 scan\$4 authenticat\$3 captur\$3) near3 (collector probe probing) with authenticat\$3 same ((HD harddrive (hard adj drive) kernel OS cpu hardware RAM MAC mac volume cd dvd rom ide scsi controller cpu ram ) adj (signature ID hash digest size address)) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/08/03 13:36 |
| S23 | 0    | (intelligen\$2 scan\$4 authenticat\$3 captur\$3) near3 (collector probe) with authenticat\$3 same ((HD harddrive (hard adj drive) kernel OS cpu hardware RAM MAC mac volume cd dvd rom ide scsi controller cpu ram ) adj (signature ID hash digest size address))         | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/08/03 13:36 |
| S24 | 1    | (intelligen\$2 scan\$4 authenticat\$3 captur\$3) near3 (collector probe) same authenticat\$3 same ((HD harddrive (hard adj drive) kernel OS cpu hardware RAM MAC mac volume cd dvd rom ide scsi controller cpu ram ) adj (signature ID hash digest size address))         | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/08/03 13:36 |
| S25 | 93   | "5845077"   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/08/03 14:54 |

|     |     |  |   |    |    |                  |
|-----|-----|--|---|----|----|------------------|
| S26 | 2   | "5845077".pn.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/08/03 14:56 |
| S27 | 2   | "5960204".pn.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/08/03 14:57 |
| S28 | 0   | remote adj inventory adj application   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/08/03 14:58 |
| S29 | 350 | inventory adj application  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/08/03 14:58 |
| S30 | 4   | inventory adj application with<br>(transmitt\$3 sending)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/08/03 15:01 |
| S31 | 5   | (transmit\$4 download\$3 send\$3)<br>with (OS Software Program) near3<br>auditor                 | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/08/03 15:03 |
| S32 | 5   | (transmit\$4 download\$3 send\$3)<br>with (OS Software Program) near3<br>auditor and auditor     | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/08/03 15:19 |
| S33 | 7   | (transmit\$4 download\$3 send\$3)<br>with (OS Software Program) near3<br>inspector and inspector | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/08/03 15:19 |
| S34 | 11  | (transmit\$4 download\$3 send\$3)<br>with (OS Software Program) near3<br>validator and validator | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/08/03 15:06 |
| S35 | 62  | (transmit\$4 download\$3 send\$3)<br>with (OS Software Program) near3<br>collector and collector | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/08/03 15:17 |

|     |     |  |   |    |    |                  |
|-----|-----|--|---|----|----|------------------|
| S40 | 241 | 717/171.ccls.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/08/03 15:18 |
| S41 | 13  | (intelligen\$2 scan\$4 authenticat\$3<br>captur\$3 agent script sensor<br>transmit\$4 download\$3 send\$3 OS<br>Software Program auditor auditor<br>OS Software Program HD harddrive<br>hard adj drive kernel OS cpu<br>hardware RAM MAC mac volume cd<br>dvd rom ide scsi controller cpu ram<br>signature ID hash digest size<br>address authenticat\$3 verificat\$3)<br>and ((HD harddrive (hard adj drive)<br>kernel OS cpu hardware RAM MAC<br>mac volume cd dvd rom ide scsi<br>controller cpu ram ) adj (signature<br>ID hash digest size address)) and<br>S40 | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/08/03 16:00 |
| S42 | 0   | (application software code<br>executable applet java) near5<br>download\$3 near5 (client user)<br>near3 (pc computer) same<br>(collect\$3 retriev\$3 scan\$4<br>captur\$3) same ((HD harddrive<br>(hard adj drive) kernel OS cpu<br>hardware RAM MAC volume cd dvd<br>rom ide scsi controller cpu ram ) adj<br>(signature ID hash digest size<br>address identi\$8))   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/08/03 15:46 |
| S43 | 0   | (application software code<br>executable applet java) with<br>download\$3 with (client user) with<br>(pc computer) same (collect\$3<br>retriev\$3 scan\$4 captur\$3) same<br>((HD harddrive (hard adj drive)<br>kernel OS cpu hardware RAM MAC<br>volume cd dvd rom ide scsi<br>controller cpu ram ) adj (signature<br>ID hash digest size address<br>identi\$8))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/08/03 15:47 |
| S44 | 28  | (application software code<br>executable applet java) with<br>download\$3 with (client user) with<br>(pc computer) same (collect\$3<br>retriev\$3 scan\$4 captur\$3) same<br>((HD harddrive (hard adj drive)<br>kernel OS cpu hardware RAM MAC<br>volume cd dvd rom ide scsi<br>controller cpu ram software<br>program (Operating adj system))<br>near3 (signature ID hash digest size<br>address identi\$8 profile))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/08/03 16:01 |

|     |     |  |   |    |    |                  |
|-----|-----|--|---|----|----|------------------|
| S45 | 745 | 710/36.ccls.   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/08/03 16:00 |
| S46 | 127 | (intelligen\$2 scan\$4 authenticat\$3<br>captur\$3 agent script sensor<br>transmit\$4 download\$3 send\$3 OS<br>Software Program auditor auditor<br>OS Software Program HD harddrive<br>hard adj drive kernel OS cpu<br>hardware RAM MAC mac volume cd<br>dvd rom ide scsi controller cpu ram<br>signature ID hash digest size<br>address authenticat\$3 verificat\$3)<br>and ((HD harddrive (hard adj drive)<br>kernel OS cpu hardware RAM MAC<br>mac volume cd dvd rom ide scsi<br>controller cpu ram ) adj (signature<br>ID hash digest size address)) and<br>S45                   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/08/03 16:22 |
| S47 | 46  | (application software code<br>executable applet java) with<br>(retreiv\$3 receiv\$3 download\$3)<br>with (client user) with (pc<br>computer) same (collect\$3 retreiv\$3<br>scan\$4 captur\$3) same ((HD<br>harddrive (hard adj drive) kernel OS<br>cpu hardware RAM MAC volume cd<br>dvd rom ide scsi controller cpu ram<br>software program (Operating adj<br>system)) near3 (signature ID hash<br>digest size address identi\$8 profile))   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/08/03 16:03 |
| S48 | 86  | (intelligen\$2 scan\$4 authenticat\$3<br>captur\$3 agent script sensor<br>transmit\$4 download\$3 send\$3 OS<br>Software Program auditor auditor<br>OS Software Program HD harddrive<br>hard adj drive kernel OS cpu<br>hardware RAM MAC mac volume cd<br>dvd rom ide scsi controller cpu ram<br>signature ID hash digest size<br>address authenticat\$3 verificat\$3)<br>and ((HD harddrive (hard adj drive)<br>kernel OS cpu hardware RAM MAC<br>mac volume cd dvd rom ide scsi<br>controller cpu ram ) adj (signature<br>ID hash digest size address)) and<br>S45 and @ay <= "1999" | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/08/03 16:02 |
| S49 | 609 | 380/44.ccls.   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/08/03 16:02 |

|     |      |  |   |    |     |                  |
|-----|------|--|---|----|-----|------------------|
| S50 | 18   | S47 not S44  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/08/03 16:03 |
| S51 | 9    | ("6134659").URPN.  | USPAT   | OR | ON  | 2005/08/03 16:19 |
| S52 | 9    | (inteligens\$2 scan\$4 authenticat\$3<br>captur\$3 agent script sensor<br>transmit\$4 download\$3 transmit\$4<br>receiv\$3 send\$3 OS Software<br>Program auditor auditor OS<br>Software Program HD harddrive<br>hard adj drive kernel OS cpu<br>hardware RAM MAC mac volume cd<br>dvd rom ide scsi controller cpu ram<br>signature ID hash digest size<br>address authenticat\$3 verificat\$3<br>serial number) and S51 | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/08/03 16:52 |
| S53 | 2    | ("6,823,454").PN.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2005/08/03 16:54 |
| S54 | 3805 | 713/201.ccls.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2005/08/03 17:40 |